






RIVETTO INOX/INOX A2







d mm	L mm	D mm	FORO mm	 N	 N	conf.
3,0	6	6,3	3,2	2200	1800	500
3,0	8	6,3	3,2	2200	1800	500
3,0	10	6,3	3,2	2200	1800	500
3,0	12	6,3	3,2	2200	1800	500
3,0	14	6,3	3,2	2200	1800	500
3,0	16	6,3	3,2	2200	1800	500

d mm	L mm	D mm	FORO mm	 N	 N	conf.
3,2	6	6,3	3,3	2500	1900	500
3,2	8	6,3	3,3	2500	1900	500
3,2	10	6,3	3,3	2500	1900	500
3,2	12	6,3	3,3	2500	1900	500
3,2	14	6,3	3,3	2500	1900	500
3,2	16	6,3	3,3	2500	1900	500
3,2	18	6,3	3,3	2500	1900	500

d mm	L mm	D mm	FORO mm	 N	 N	conf.
4,0	6	8,0	4,2	3600	2700	500
4,0	8	8,0	4,2	3600	2700	500
4,0	10	8,0	4,2	3600	2700	500
4,0	12	8,0	4,2	3600	2700	500
4,0	14	8,0	4,2	3600	2700	500
4,0	16	8,0	4,2	3600	2700	500
4,0	18	8,0	4,2	3500	2700	500
4,0	20	8,0	4,2	3500	2700	500
4,0	25	8,0	4,2	3500	2700	500

RIVETTO INOX/INOX A2





d mm	L mm	D mm	FORO mm			conf.
4,8	6	9,5	5,0	5000	4000	500
4,8	8	9,5	5,0	5000	4000	500
4,8	10	9,5	5,0	5000	4000	500
4,8	12	9,5	5,0	5000	4000	500
4,8	14	9,5	5,0	5000	4000	500
4,8	16	9,5	5,0	5000	4000	500
4,8	18	9,5	5,0	5000	4000	500
4,8	20	9,5	5,0	5000	4000	250
4,8	22	9,5	5,0	5000	4000	250
4,8	25	9,5	5,0	5000	4000	250
4,8	30	9,5	5,0	5000	4000	250
4,8	35	9,5	5,0	5000	4000	250
4,8	40	9,5	5,0	5000	4000	250

d mm	L mm	D mm	FORO mm			conf.
6,0	8	12	6,2	7500	5700	250
6,0	10	12	6,2	7500	5700	250
6,0	12	12	6,2	7500	5700	250
6,0	14	12	6,2	7500	5700	250
6,0	16	12	6,2	7500	5700	250
6,0	18	12	6,2	7500	5700	250
6,0	20	12	6,2	7500	5700	250
6,0	25	12	6,2	7500	5700	250
6,0	30	12	6,2	7500	5700	250
6,0	35	12	6,2	7500	5700	250
6,0	40	12	6,2	7500	5700	250

A richiesta fornibili inox A4

RIVETTO INOX/INOX A2



d mm	L mm	D mm	FORO mm	 N	 N	conf.
6,4	10	13	6,5	8850	6500	250
6,4	12	13	6,5	8850	6500	250
6,4	14	13	6,5	8850	6500	250
6,4	16	13	6,5	8850	6500	250
6,4	18	13	6,5	8850	6500	250
6,4	20	13	6,5	8850	6500	250
6,4	25	13	6,5	8850	6500	250
6,4	30	13	6,5	8850	6500	250
6,4	35	13	6,5	8850	6500	250
6,4	40	13	6,5	8850	6500	250

A richiesta fornibili inox A4